



## H560

5 Part Diff Hematology Analyzer









Ensures high accuracy with Tri-angle Laser Flowcytometry

36 Parameters Enhanced patient care Supports geriatric and paediatric samples

Making Automation Affordable for labs Everywhere

### H 560


### 5 Part Diff Hemetology Analyzer

To offer value driven diagnosis for enhanced patient care, Erba H560 now comes to you with upgraded software. Several parameters have been introduced to CBC, such as clinical markers to differentiate iron deficiency, beta thalassemia in the preliminary diagnosis of diseases, besides NLR, NRBC and CWBC.


#### **KEY FEATURES**



- Ensure accurate and precision
- Intensity of light scattered from semiconductor laser beam on the blood cells reflects cell size and intra cellular density
- Low angle scatter shows cell size, while the middle and high angle display intracellular information (nucleus and cytoplasmic content). Data thus captured plots 4 2D scattergrams
- Three reagent system for cost-effective operations (DIL, LYSE 1, LYSE 2 and cleaner)
- Independent WBC / Baso channel uses special hemolytic agent that extracts Basophils



# Neutrophils Lymphocytes



 Flagging to identify p.vivax Abnormal RBC Int... cases of malaria

36 Parameters including

Mentzer index and RDW I • P-LCR, P-LCC, PDW-SD & PDW-CV aids in

differential diagnosis of cases with abnormal

platelet counts supports clinical investigation

• RDW-SD, RDW-CV & MCV aids in screening for

• NLR: Novel prognostic marker for predicting

COVID-19, cancer, sepsis, CVD, and

indicative of disease severity

WBC count for better clinical treatment.

Mentzer index and RDWI

Screening indices for

IDA & ß-Thal

short and long-term mortality in patients with

post-operative complications. An NLR >3 is

• NRBC - To rule out Leukemia, anemia or spleen

NLR, NRBC, CWBC,

causes of anemia

disorder


# Convenient


- 10.4" large coloured LCD touchscreen with graphic icons
- Single page view of full report
- ADDM Unique Auto Diluent Dispensing Mechanism
- RIMS Real time Inventory Management System with RFID



#### **RBC/Platelet electrical** impedance

• Electrical impedance measures change in electrical resistance produced by a blood cell suspended in conductive diluent as it passes through an aperture









- Excellent short and long-term precision within 2%
- Highly accurate results correlating with microscopic examination and clinical findings
- Specific flagging for microscopic slide review of clinically relevant parameters

< Er	oa'			iow	œ			ξe
QC Type	ЬJ	▼						
	QC Sett	ings C	C Analysis		C Graph	٥	C Table	
File No: 1 QC Mode: Whole Blood-CBC+DIFF Lot No.: DH 1901 Existing / Total: 5500 Exp. Date: 05:05:2019 Level: Low Editor: service QC Sample ID:							11	
	per Limit Target wer Limit						Maan SD CV%	
WBC 3.45	3.75 3.25 2.75			-			3.337 0.107 3.2	
Nau56 50.4	59.5 50.5 41.5	_		+		=	49.35 1.10 2.2	
Lymf6 39.9	48.2 39.2 30.2			+		_	40.20 0.73 1.8	ŀ
Mor8ii 47	9.4 5.4 0.8			+			530 0.43 8.2	1
- 4		K			>	-	<b>•</b>	6
	No 62183		VWB-CBC					

#### **Assured Quality with NABL** compliance

- Lab mean
- Traceability of controls and calibrator runs
- Traceability of consumable lots

# **Advanced Software**

- Provision to include microscopic investigations such as bands segment, blast, etc. in the printed report
- Consolidated patient reports can be generated for customized parameters such as blood type, Rh blood group, ESR, reticulocyte, CRP along with other reportable parameters
- QR code scanner facilitates direct inputs of QC values

Microscopic Exam. Settings						
No.	Parameter Name	Code System				
	Neutrophilic segmented granulocyte		*			
2	Neutrophilic band granulocyte					
3	Lymphocyte		<b>A</b>			
4	Monocyte					
5	Eosinophil					
6	Basophil		М			
7	Plasmacyte					
8	Atypical Lymph		¥			
9	Blast		М			



- Just 15 µL sample volume: All age groups
- Low blood sample volume

### Ordering Information

<b>Product Code</b>	Description	Pack size (ml)
166121	Erba H560 analyzer	-
121743	H 560 Dil	20,000
121744	H 560 Lyse 1	4 x 200
121745	H 560 Lyse2	3 x 500
121939	H clean	4 x 50